



Knives

GT026



GT027



GT026 - NT Injector Cartridge Knife

Used for film pattern cutting and trimming. Holds five blades for automatic blade replacement capabilities.

GT027 - NT Pro A-1 "Red Dot" Knife

The blade can be advanced in 1/2 segment increments for precision control. Right or left-handed use.

GT111



GT114



GT111 - Auto Lock 8 pt. Knife

Heavy-duty knife with breakaway points for use with security films 7 mil and greater. Blade storage in handle.

GT114 - Olfa Pro-Load

Holds up to five blades at a time giving you 65 new cutting segments per load.

GT124



GT126



GT124 - Plastic Utility Knife

Used for film pattern cutting and trimming.

GT126 - Olfa "Silver" Stainless Steel Knife

The original Olfa stainless steel knife.

GT127



GT128



GT127 - Olfa "A" Knife

Used for film pattern cutting and trimming. Features a molded plastic handle for maximum control and comfort. Right or left-handed use.

GT128 - Ceramic Safety Film Cutter

Designed to deliver rapid, precise cuts for thicker gauge safety films. This knife is intended for precision pre-cutting on flat, square-edged tables.

GT226



GT227



GT226 - Olfa "Silver 2" Auto-Lock Knife

Features right or left-handed use, blade position auto-lock, and one-segment click action. Stainless steel blade.

GT227 - Olfa XA-1 Ergonomic Knife

This ergonomically correct knife features a comfortable rubber grip for better control and less fatigue.

GT264



GT944



GT264 - KDS L-22 Gripfit Autolock Knife

Heavy-duty knife with a comfortable grip and breakaway points for use with security films 7 mil and greater.

GT944 - Automotive Glass Edge Trimmer

Ensures precise "micro-edge" on roll-down windows.

GT984



GT1019



GT984 - NT A-1000RP Knife

Cartridge cutter with aluminum die-cast grip. Cartridge holds up to five blades.

GT1019 - NT L500GRP Heavy-Duty Knife

NT heavy-duty knife with ratchet auto-lock slider which locks the blade into place while cutting. Blade storage in handle. Use with films 7 mil or greater.

GT1051



GT1051 - Olfa SAC-1 S.S. Graphics Knife

Slim stainless steel body with a 30 degree angle blade for precision pattern cutting. Great for graphics and paint protection films.

Note: All knives come packaged with carbon blades except for GT126 and GT226.

TIP Use a sharp blade every time to help avoid accidentally cutting or scratching the glass.



Blades

GT105




GT108




GT108SS



GT110



GT112



GT115



GT116



GT123



GT131



GT137



GT139



GT140



GT140-12



GT211



GT262



GT263



GT265



GT266



GT1007



GT1020



GT1021



GT1031



GT1052



GT105 - 4" Scraper Blades - Carbon, Pack of 10

GT108 - 6" Triumph Carbon Scraper Blades, Pack of 25

GT108SS-6" Triumph Stainless Steel Blades, Pack of 25

GT110 - Heavy Duty Triumph Blades, Carbon, Pack of 10
Replacement blades for GT106.

GT112 - Olfa UltraMax 8 pt. Blades, Pack of 50
Replacement blades for GT111, GT264 & GT1019 heavy-duty knives. Triple-honed for an extremely sharp edge. Ideal for cutting thick films 7 mil or greater.

GT115 - Olfa Stainless Steel Snap Blades, Pack of 10

GT116 - Olfa Stainless Steel Snap Blades, Pack of 50

GT123 - Olfa Carbon Snap Blades, Pack of 50

GT131 - 8 pt. Blades, Pack of 5
Replacement blades for GT111, GT264 & GT1019.

GT137 - Stainless Steel 1" Single Edge Blades, Pack of 100

GT139 - Plastic Razor Blades, Pack of 100
Perfect for removing leftover film and adhesive from surfaces that can be easily damaged such as rear window defrosters or other sensitive areas.

GT140 - 1" #9 Single Edge Blades, Carbon, Pack of 100

GT140-12 - 1" #12 Single Edge Blades, Carbon, Pack of 100
A thicker version of the popular #9 blade.

GT211 - 3" Triumph Blades, Carbon, Pack of 10

GT262 - KDS Stainless Steel Flatglass/PPF Blades, Pack of 50

GT263 - KDS Powerblack 8 pt. Blades, Pack of 50
Ideal for thicker films 7 mil or greater. Fits GT111, GT264 & GT1019.

GT265 - KDS Stainless Steel Automotive Blades, Pack of 50

GT266 - KDS Stainless Steel Flatglass/PPF Blades, Pack of 10

GT1007 - 4" Scraper Blades, Carbon, Pack of 100

GT1020 - NT Stainless Steel Snap Blades, Pack of 50

GT1021 - BL50P Blades, Pack of 50
Heavy-duty NT blades for use with GT111, GT264 & GT1019.

GT1031 - Olfa UltraMax ABB-50B Carbon Snap Blades, Pack of 50
Fits any Olfa standard knife.

GT1052 - Olfa A1160B Carbon 30 Degree Blades, Pack of 10
Replacement blades for GT1051.



Scrapers

GT103



GT104



GT106



GT103 - 4" Scraper with 6" Handle

The GT103 allows for maximum leverage and speed when removing large areas of existing film.

GT104 - 4" Scraper with Extended Handle

Longer handle allows for even more leverage than the GT103 scraper.

GT106 - Red Heavy Duty Scraper

Ideal for film removal. Uses GT110 Heavy Duty Triumph Blades.

GT107



GT107A



GT107PC



GT107 - 6" Triumph Scraper

GT107A - 6" Angled Triumph Scraper

GT107PC - 6" Triumph Scraper With Slide Cover

This is the new and improved version of the slide-covered Triumph scraper. With a bigger button and smoother action, the cover easily opens and closes with no hassle. No more fumbling with a separate blade cover, which is safer and more convenient, especially when doing ladder work. Great for regular window cleaning, but not recommended for stripping off old film.

GT109



GT109S



GT138



GT109 - 1" Clip Scraper

This effective scraper will accommodate standard or stainless steel single-edge blades as well as GT139, plastic razor blades.

GT109S - 1" Clip Scraper with Thumb Screw

GT138 - Heavy Duty 1" Razor Scraper

Retractable safety scraper with intermediate blade position keeps the blade from sliding out while in use.

GT210



GT212



GT983



GT210 - 3" Triumph Scraper

Smaller version of the regular Triumph scraper. Designed to fit into corners.

GT212 - 1" Blade Ade

GT983 - 6" Ergonomic Triumph Scraper

GT983A



GT988



GT994



GT983A - 6" Angled Ergonomic Triumph Scraper

GT988 - 6" Ettore Scraper

Features a rubber insert on the handle for better control.

GT994 - Big Blade (3" x 4")

Jumbo size razor blade perfect for cleaning and film removal.

GT1023



GT1024



GT1023 - AL PRO 4" Stripper

This 4" stripper has an adjustable head as well as an adjustable knob for two-handed use. Blades can be stored inside the handle.

GT1024 - AL PRO Mini Scraper

1" mini scraper with slip-resistant grip.

TIP Use the right scraper for the job. Small scrapers are better for reaching into corners on automotive windows and large scrapers are good for cleaning flat glass.



Squeegees & Accessories

GT045
GT048
GT049



GT050E



GT053
GT054
GT055
GT056



GT045 - 140" Squeegee Blade Refill

Replacement blades for Unger squeegee channel. Used for window cleaning, not installation.

GT048 - 12" Squeegee Blade Refill

GT049 - 18" Squeegee Blade Refill

GT050E - Unger ErgoTec Handle

Features a spring mechanism for quick blade changing and a finger indent on top of the handle for complete control. For use with GT053-056 channels with black rubber for cleaning or blue replacement blades (GT118) for installation.

GT053-GT056 - Squeegee & Channel

GT053 - 6", GT054 - 8", GT055 - 12", GT056 - 18". Stainless Steel channel and soft rubber squeegee blade insert for use with the Unger Pro Handle (GT050). Used for cleaning during flatglass installations.

GT057



GT058



GT118



GT057 - 5" Crusher handle

These handles are designed to optimize your leverage while removing mounting solution. Holds GT257, GT258, GT259 squeegee blades. The GT057 is great for high performance automotive films and smaller residential windows, while GT058 is ideal for all residential and commercial applications.

GT058 - 8" Crusher Handle

GT118 - (6, 8, 12, 18, or 144") Blue Squeegee Refill

Use in the Unger squeegee channel as a finishing squeegee for maximum water removal. 6" size is used as a replacement blade for GT207.

GT205



GT206



GT207



GT205 - The Bulldozer I - Automotive

Allows you to get to those hard-to-reach areas such as behind speakers, brake lights and low-angled rear windows. Features a 6" squeegee blade and is 15" in overall length.

GT206 - The Bulldozer II - Flatglass

Features reinforced ribs on the back side for extra rigidity and leverage. Includes a 6" squeegee blade and is 15" in overall length.

GT207 - Side Swiper with blade

6" squeegee used to help you reach into corners and odd angles. Use GT118-6" as a replacement blade.

GT209



GT985



GT1005



GT209 - The Scrubber

Used to reach behind speakers and brake lights. Scrub away adhesive along the bottom edges of sloped rear windows. Uses replaceable standard White Scrub Pads (GT085) cut 2" x 3". This tool is 3" x 15" long.

GT985 - Performax Handle

Ideal for water extraction when used with GT117, GT117B, GT203 or GT257. Features a socket that accepts standard extension handles such as broom or paint roller extensions allowing installers to gain more leverage.

GT1005 - Thor's Hammer

Used for 6 mil and heavier safety film installations and final pass on slow-drying thin flatglass films. Uses GT117C replacement blade.

GT1006



GT1022



GT1042



GT1006 - Thor's Hammer Jr.

Used for 7 mil and heavier automotive safety film installations. For maximum water removal to eliminate "champagne bubbles" during thick film installations (automotive). Uses GT117C replacement blade.

GT1022 - Stroke Doctor

Replacement blade GT1022B (not shown)

GT1022B - Stroke Doctor Replacement Blade (Not Shown)

GT1042 - Titan Squeegee

The overall length is 14-3/4" which allows a longer reach, has a rigid structure for more water removal and its unique design will easily lift inner and upper door seals.

GT1046




GT1047



GT1046 - 8" Fusion Handle

GT1047 - 5" Fusion Handle

These handles are designed to optimize your leverage in removing mounting solution. Holds GT257, GT258, GT259 squeegee blades. The GT1047 is great for high performance automotive films and smaller residential windows, while GT1046 is ideal for all residential and commercial applications.



Squeegees & Accessories


GT030



GT041



GT042



GT050



GT059



GT061



GT062



GT063



GT064



GT069



GT117



GT117A



GT117B



GT117C



GT122



GT203



GT203A



GT204



GT030 - Motus D Grip Handle

The Motus D Grip Handle attaches to most handled squeegees so you can use two hands for extra leverage when installing heavy gauge safety films.

GT041 - 8" Silver Security Squeegee Replacement Blade

GT042 - 8" Silver Security Squeegee

Comfortable, ergonomic handle is designed especially for security film installation. Curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations. Blade is replaceable with either the Security Squeegee (GT041), Flatfoot (GT059) or Pro Squeegee (GT061) blades.

GT050 - Unger Pro Handle

For use with the GT053, GT054, GT055 or GT056 stainless steel channel with black rubber blade for cleaning or blue blade (GT118) for installation.

GT059 - 8" Flatfoot Squeegee Blade

Specially angled blades for the 8" Pro Squeegee (GT064). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro Blade with a square edge.

GT061 - 8" Pro Squeegee Blade

Replacement blade for 8" Pro Squeegee (GT064). Used for removing application solution from beneath the film during flatglass installation.

GT062 - 6" Pro Squeegee Deluxe

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during flatglass installations.

GT063 - 6" Pro Squeegee Blade

Replacement blade for 6" Pro Squeegee (GT062). Used for removing application solution from beneath the film during flatglass installation.

GT064 - 8" Pro Squeegee Deluxe

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during flatglass installations.

GT069 - 6" Flatfoot Squeegee Blade

Specially angled blades for the 6" Pro Squeegee (GT062). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro Blade with a square edge.

GT117 - Blue Max 5" Hand Squeegee

Installation squeegee for automotive and flatglass applications. Harder than GT203, these tools are excellent for water evacuation.

GT117A - Angled Blue Max 5" Hand Squeegee

Angled version of the Blue Max 5" Hand Squeegee.

GT117B - Square Blue Max 5" Hand Squeegee

Ideal for installing security film. For extra leverage, use a GT050 with a Motus D Grip Handle (GT030).

GT117C - Square Blue Max - Narrow

Replacement blade for GT1005 or GT1006.

GT122 - Blue Max Squeegee with Handle

New and improved handle makes this installation squeegee a must have. This unit is sold as a complete set with the GT117A only. The handle is not sold separately.


GT203 - Super Clear Max Squeegee Blade

GT203A - Angled Super Clear Max Squeegee Blade

Softer version of the Blue Max squeegee; more flexible for rear window installations.

GT204 - Super Clear Max Squeegee with Handle

New and improved handle makes this installation squeegee a must have. This unit is sold as a complete set with the GT203A only. The handle is not sold separately.



Squeegees & Accessories

GT119 ★



GT120 ★



GT121 ★



GT145 ★★



GT146 ★



GT147 ★★



GT148




GT149



GT150 ★★★



GT152 ★★★



GT202 ★



GT202B ★★



GT235 ★★



GT236 ★★



GT119 - 4" Black Smoothie Tube Squeegee

GT120 - 9" Black Smoothie Tube Squeegee

GT121 - 28" Black Smoothie Tube Squeegee

GT145 - 18-1/2" Yellow Turbo Squeegee

GT146 - 28" Black Smoothie Replacement Blade

Squeegee tool used for glass cleaning; sometimes called the "Smoothie." Economy size usually cut to shorter lengths.

GT147 - 18-1/2" Yellow Turbo Squeegee Blade

Economy size squeegee usually cut to shorter lengths before use. Used for removal of application solution during the installation process.

GT148 - 6" Block Squeegee

GT149 - 12" Block Squeegee

GT150 - 18" Red Turbo Squeegee

Used for removal of application solution during the installation process. Also used for installing paint protection film.

GT152 - 5" Red Turbo Blade

Great for paint protection films.

GT202 - The Conqueror

GT202B - Blue Conqueror

Same as the original Conqueror with a slightly harder durometer for more squeegeeing power.

GT235 - 5-1/2" Yellow Turbo Squeegee

GT236 - 5-1/2" Yellow Turbo Squeegee Blade

An installation squeegee used to remove application solution from beneath the film during installation of automotive films.





Squeegees & Accessories

GT033



GT040



GT043



GT033 - Red Devil Squeegee

Flexible squeegee that is great for tight corners and maneuvering around gaskets.

GT040 - Slim Foot

Modeled after the Big Foot Squeegee, the slim foot has a slender design for reaching into tighter openings. This no-rib squeegee helps reach behind brake lights and has a rubber grip for secure handling.

GT043 - Big Foot

Designed to reach curved rear glass windows, this 6" squeegee with a 12" handle allows you to apply the necessary pressure in those tight rear window areas.

GT044-BLUE ★



GT044-BLACK ★★★



GT044 - Little Foot: Blue, Red & Black

These squeegees measure about 6" along the usable edge. The pointed edge of this tool allows you to squeegee in very tight areas. The Little Foot has plenty of room on the squeegee for a good grip.

GT044-RED ★★



GT091



GT092



GT091 - Slammer

Used for cleaning corners and along gaskets, wicking water out along borders and easily reaching rear windows.

GT092 - Shuttle

A hard card with the ability to reach into tight areas located at the bottom edge of rear window glass.

GT254 ★★★



GT255 ★★



GT256 ★



GT254 - Power Stroke, Blue

Blue has a harder durometer for the ultimate in moisture removal, especially for sputtered films.

GT255 - Power Stroke, Red

Red is great for the final pass on metal films.

GT256 - Power Stroke, Yellow

Yellow works well with dyed films and as the first pass on metal films.

GT257



GT258



GT259



GT257 - 5" Orange Crush

These blades help expel water from under film while keeping their strength. The 5" Cropped Orange Crush conforms to curved glass. Blades can fit into a handled grip (GT057, GT058, GT1046, GT1047) or be used alone.

GT258 - 5" Cropped Orange Crush

GT259 - 8" Orange Crush

GT995



GT1000



GT1010



GT995 - White Knight Squeegee


Large squeegee with a narrow handle allowing for better reach.


GT1000 - MACTAC Felt Squeegee

Recommended for paint protection applications.

GT1010 - 3M™ Wet or Dry Squeegee

Recommended for paint protection applications.





Squeegees & Accessories

GT032G ★



GT032Y ★★



GT034



GT032G - Tail Fin Green (Soft)

Great for getting behind brake lights during rear window installations and other hard-to-reach areas. Finger holes make holding onto the Tail Fin easy.

GT032Y - Tail Fin Yellow (Firm)

GT034 - Whale Tail Squeegee

Great for getting behind brake lights during rear window installations and other hard-to-reach areas.


GT036



GT038



GT066




GT035 - Whale Tail Replacement Blade
(Not shown)

GT036 - Whale Tail Handle

GT038 - 12" Clear Super Squeegee

GT066 - 6" Clear Super Squeegee

GT067



GT068



GT113G ★



GT067 - 3" Clear Super Squeegee

GT068 - Hard Card Sharpener

A must-have item for keeping hard card edges smooth.

GT113G - Green Diamond Tip

These 5" cards have angled corners that allow installers to reach into tight corners making it a great tool for automotive and flatglass applications.

GT113R ★★



GT113W ★★★



GT113Y ★★★★★



GT113R - Red Diamond Tip

GT113W - White Diamond Tip

GT113Y - Yellow Diamond Tip

GT151W ★



GT151B ★★



GT151Y ★★★




GT151W - White Quick Foot

Quick Feet make great automotive tools for those hard-to-reach places.

GT151B - Blue Quick Foot

GT151Y - Yellow Quick Foot





Hard Cards

GT083 ★★★



GT088 ★



GT099 ★★★



GT083 - Lil' Chizler


GT088 - Bondo Squeegee

GT099 - Universal Squeegee

GT200 ★★★



GT200PLT ★★★★★



GT200 - EZ Reach Gold

EZ Reach is the ultimate corner tool.

GT200PLT - EZ Reach Platinum

GT201G ★



GT201Y ★★



GT201PLT ★★★



GT201G - Green Contour (Soft)

Uniquely-shaped tool for hard-to-reach areas.

GT201Y - Yellow Contour (Firm)

GT201PLT - Platinum Contour (Hard)

GT1025Y ★



GT1025W ★★



GT1025PLT ★★★



GT1025Y - Quick Fix - Yellow

Card squeegee with good angles that extend your reach for better manipulation behind gaskets and rubber seals.

GT1025W - Quick Fix - White

GT1025PLT - Quick Fix - Platinum

GT1049



GT1050




GT1049 - Gator Blade I

The Gator Blade I and II are alternatives to the Lil' Chizler. Each has a unique shape to give you a better grip making it easier to apply pressure.

GT1050 - Gator Blade II





Hard Cards

GT079

★★



GT080

★



GT086PURP

★



GT079 - 4" 3M™ Gold Squeegee

GT080 - 4" 3M™ Blue Squeegee

GT086PURP - Purple Hard Card Squeegee

GT086BLU

★



GT086BLK

★★



GT086PNK

★★★



GT086BLU - Blue Hard Card Squeegee

GT086BLK - Black Hard Card Squeegee

GT086PNK - Pink Hard Card Squeegee

GT086

★★★★



GT086GLD

★★★★★



GT086PLT

★★★★★



GT086 - White Hard Card Squeegee

GT086GLD - Gold Hard Card Squeegee

GT086PLT - Platinum Hard Card Squeegee


GT086-6Y

★




GT086-6B

★★



GT086-6W

★★★



GT086-6Y - 6" Yellow Hard Card Squeegee

GT086-6B - 6" Black Hard Card Squeegee

GT086-6W - 6" White Hard Card Squeegee

GT087

★



GT087Gray

★★



GT087-6Gray


★★



GT087 - Yellow Lidco Squeegee

GT087Gray - Gray Lidco Squeegee

GT087-6 Gray - 6" Gray Lidco Squeegee





GT960



GT961



GT962



GT960 - Low-E Coating Detector

Detects the presence and location of thermal-resistant (Low-E) coatings used on energy efficient single and dual-pane glass. Never requires calibration. Powered by a 9-volt battery (included).

GT961 - Insulated Glass Thickness & Gap Gauge

Used to measure glass and air space thickness in sealed insulated glass (IG) units. Laser reflections off the glass surfaces appear on the graduated scale of the gauge allowing you to easily determine the thickness of the glass and the air space separating the pieces of glass inside a sealed IG unit. Powered by two standard AAA alkaline batteries (included).

GT962 - Heat Lamp Unit

Great tool for tabletop presentations. Powered by a 110-volt power cord (plug in).

GT963 - UV Light Source Lamp

Excellent tool for demonstrating and measuring how much UV light window film blocks. Powered by four standard AA alkaline batteries (NOT included).

GT964 - UV Meter with Temperature Reading

This meter shows UV transmission percentages, UV intensities (irradiance), and temperature readings in Celsius and Fahrenheit. The GT964 is the most versatile product available for measuring UV. This meter is extremely simple to operate. The digital display is continually updated with real-time readings. It is powered by a 9-volt battery (included).

GT963



GT964



GT966



GT966 - VLT and Power Meter

The GT966 shows the performance of your film and proves to your customer that your product reduces fading by controlling visible light. It calculates visible light transmission percentages, power readings (W/m²), measures visible light spectrum (400-700NM), and includes a digital thermometer that shows temperatures in Celsius and Fahrenheit. Powered by a 9-volt battery (included).

GT967



GT968



GT969



GT967 - Digital BTU Meter

This wide-spectrum digital meter measures the solar radiant energy intensity directly transmitted through glass (or the film-glass combination) in units of BTUs per square foot per hour or watts per square foot. This tool shows the relative effectiveness of various films in blocking solar radiant heat. Especially useful for showing how a darker film may allow more energy to pass through than a much lighter metallic film. Powered by a 9-volt battery (included).

GT968 - Digital BTU and Transmission Meter

Use this meter to evaluate solar performance. It provides excellent resolution; reading low light conditions accurately with no need for adjustments. The easy-to-read digital display toggles between UV intensity and transmission percentage mode. It's small, portable and convenient to use in the field. Powered by a 9-volt battery (included).

GT969 - Tempered Glass Meter

Used to determine which, if any, panes in a window unit are heat treated (tempered). Knowing this allows use of films that would otherwise be inappropriate on regular annealed glass. Full set of user instructions and leather case included (120-volt).

GT971



GT974



Note: Not all items pictured are included in this kit. See description for list of included items.

GT971 - Soft Case for Meters & Accessories, Case Only

Carry all your meters, glass samples and accessories in this soft-sided case.

GT974 - Professional Meter Sales Kit - with Soft-sided Case

Our UV and solar sales presentation kit offers a complete package for convenient and convincing sales demonstrations. The kit includes locations for glass samples, digital meters, lamps, product literature and more. Show your customer performance numbers they can understand by using our simple Solar Transmission GT968 and UV Transmission GT973 meters. A popular optional item that may be added to the kit is the GT978 Laser Thermometer.

Kit Includes: GT968 Digital BTU & Transmission meter, GT962 Heat Lamp Unit, GT973 UV Meter, GT963 UV light and soft case with carrying strap.


Note: Glass samples are not included in the kit.

GT976



GT976 - Glass Sample Set

Conduct your sales demonstration more effectively by including glass samples to help illustrate the benefits of film over standard glass. Set includes two clear single pane, two clear IG units and two low-E coated panes. Can be added to GT974, Professional Meter Sales Kit.



GT174



GT175

GT174 - Pocket Detective Meter

Measures visible light transmission and visible light reflectivity on fixed windows. Specialty battery included.

GT175 - Pocket Detective 2.1 Base

Used to measure visible light transmission on roll-down windows. Powered by a 9-volt alkaline battery (included).

GT972



GT973



GT975



GT972 - Digital Tape Measure

This compact meter uses a narrow beam to measure distances instantly, even through door openings and in crowded rooms. Lifetime lithium battery included.

GT973 - UV Sentry Meter

Position the meter facing a UV source, such as sunlight or a heat lamp (GT962) and turn the meter on. Place various materials between the meter and the UV source and the resulting UV transmission percentage will be displayed. Powered by a 9-volt alkaline battery (included).

GT975 - Strengthened Glass Detector

Allows users to confirm if glass has been strengthened. The detector can test single or multiple panes of glass in a window at once from either side. As a bonus, the detector can even identify the thickness of the first pane of glass in the window. Powered by a 9-volt alkaline battery (included).

GT977



GT978



GT992



GT977 - UV and Solar Dual Transmission Meter

Combines the popular features of the GT973 and the GT968 into one simple-to-use meter. Powered by a 9-volt alkaline battery (included).

GT978 - Laser Thermometer

Reads temperatures of solid surfaces. Most accurate when used within three feet of a surface. Demonstrate heat reduction by taking a reading of a solid object in the room, such as furniture, before and after the film is installed to show the difference window film makes. Not to be used on glass. Powered by a 9-volt alkaline battery (included).

GT992 - LaserLabs M100 One-piece Meter

Used to measure visible light transmission on roll-down windows. Powered by a 9-volt alkaline battery (included).

GT993



GT996



GT997



GT993 - LaserLabs M200 Two-Piece Meter

Measures visible light transmission on fixed windows. Powered by two 9-volt alkaline batteries (Not included).

To help ensure a legal automotive installation, first take a reading of the glass without film to make sure you will not exceed the legal VLT in your area.

GT996 - AE4600 Solar Gain Low-E Detector

Professional state-of-the-art meter that detects the presence of low-E coated glass and ranks the SHGC (solar heat gain coefficient) as low, medium or high. Powered by a 9-volt alkaline battery (included).

GT997 - PR33400 Beamsplitter Pro

Three real-time measurements of UV light, visible light and infrared percentages. Perfect for large scale presentations. Includes a 9-volt (DC) power pack (plug in).



GT982



GT982 - Spectrum Detective Meter

Effortlessly demonstrate three performance characteristics at a time: UV, visible light and infrared transmission values. This is an effective way to show that film will help prevent fading.



The Spectrum Detective shows your customers performance numbers they can understand and proves to them that your "high-performance" window films are worth their investment. Simply slide a glass sample into the opening and see the resulting values displayed. No additional light sources are needed. Everything is self-contained in a convenient padded carrying case. Powered by a 9-volt alkaline battery (included).

Includes carrying case

Please note: Glass samples (GT976) are NOT included in kits.



Installation Accessories

GT075



GT076



GT077



GT075 - Yellow Film Marker

Handy for marking film prior to installation of unusual shapes and angles, marking contaminants for removal and marking film edges to check for glass movement on side roll-ups during the trimming process. Yellow grease mark easily wipes away.

GT076 - Film Opaquer Pen, Thin Point

Used by installers to hide fine line mistakes in trimming which causes excess light intrusion at the film edge.

GT077 - Film Opaquer Pen - Broad Point

For hiding larger gaps after trimming.

GT078



GT078-75



GT132




GT078 - 1-1/2" Black Acrylic Felt - 50' Roll

Helps reduce scratching of automotive films on some vehicle roll-down windows.

GT078-75 - 3/4" Black Acrylic Felt - 50' Roll

GT132 - Hook Tool

GT130



GT157
GT158
GT159



GT130 - Gasket Wizard

This device is used to carefully pull back gaskets for easy installations below the gasket. Rub rails are located at the base of all automotive window glass for weatherproofing and can get in the way of installation. Many installers find the Gasket Wizard helpful even without the use of the bungee cords.

GT157 - 1/2" Black Out Tape - 150' Roll

Black matte vinyl used to hide light gaps along edges of film installations.

GT158 - 1" Black Out Tape - 150' Roll

GT159 - 1-1/2" Black Out Tape - 150' Roll

GT182



GT182 - 36" Straight Ruler

GT183 - 18" Straight Ruler

GT186 - 8" Triangle

30/60 degrees with circle templates.

GT187 - 12" Triangle

45/90 degrees with circle templates.

GT183



GT188 - Windshield Wizard

Allows for quick and accurate trimming around rearview mirror mounts.

GT186



GT187



GT188



GT194 - Gasket Push Stick

GT981 - "Do Not Roll Down" Window Stickers (1000/Roll)

Features low-tack adhesive for easy removal by customer.

GT990 - 3/8" Red Film Tape - 180' Roll

GT991 - 1" Red Film Tape - 180' Roll

Use to retape film rolls for storage. Features low-tack adhesive.

GT194



GT981



GT990 & GT991



TIP Application of felt tape at the base of the window can prevent scratches on the newly installed film when existing weather stripping is worn or missing.



Installation Accessories

GT090



GT094



GT096



GT090 - Spraymaster Bottle & Trigger

An overall heavy-duty sprayer, this spray bottle comes with a five-year warranty and is chemically resistant. It is equipped with a strong trigger and holds 32 ounces.

GT094 - Replacement Nozzle for the GT102

GT096 - Polyspray 2

This pressurized spray bottle holds more solution than the 32 ounce bottles and reduces "finger fatigue," eliminating the need for pumping while spraying via a simple trigger. Handy for large windows and long-duration sprays. Adjustable spray nozzle.

GT097-GT098



GT101-H



GT101-HG



GT097 - 32 Oz. Spray Bottle

Goes with GT098, adjustable spray trigger.

GT098 - Adjustable Spray Trigger

The industry favorite for its ergonomic trigger, high output and durability. Goes with GT097, 32 oz. spray bottle.

GT101-H - Replacement Spray Gun for GT101-N

GT101-HG - Replacement Hose and Spray Gun for GT101N

25' coiled hose.

GT101-N



GT102



GT102-OP



GT101-N - Stainless Steel 5 Gallon Sprayer

Deluxe pressure sprayer holds up to 5 gallons of mounting solution in a stainless steel tank. The hose can reach up to 25 feet. Fill with solution and pressurize with air from any compressor. Flexible hose reaches into cars or stretches up the ladder with you.

GT102 - Orange 3 Gallon Pressure Sprayer

Essential for those big commercial jobs. Long 13' hose allows great mobility and the large tank capacity provides uninterrupted and fatigue-free installation. Uses the GT094 nozzle that features a brass fan-type spray tip.

GT102-OP - Replacement Pump for Black 3 Gallon Sprayer (Black 3 gallon sprayer not shown.)

GT102-P



GT190



GT190BLACK



GT102-P - Replacement Pump for Orange 3 Gallon Sprayer

Replacement pump for GT102

GT190 - Gray 5-Way Trim Guide

GT190Black - Black 5-way Trim Guide

GT190White - White 5-way Trim Guide

GT190WHITE



GT191



GT989



GT191 - The Edge Tool

Used to pull back window gaskets.

GT989 - 7 Gallon Twin Sprayer With Built-in Compressor

Perfect for shops or large commercial jobs, this 7 gallon sprayer includes a cart and two 25' coiled hoses with spray guns. No need for an air compressor or constantly pumping the tank. For safety, use with GFCI protected circuits (120-Volt).

GT1004 - Olfa DC4 Blade Disposal Container

Blade disposer can be emptied and reused.

GT1004



GT1008



GT1008 - Impact Jr. Pump-up Sprayer

Pressurized spray bottle that holds 48 ounces and reduces "finger fatigue" by eliminating the need for pumping while spraying via a simple trigger. Adjustable spray nozzle.



TIP GT190 series 5-way tools can also be used as squeegees, especially when wrapped with a paper towel to absorb moisture along the edges of the film.



Installation Accessories

GT070



GT071



GT072



GT085



GT070 - Low Lint Wipes

GT071 - Virtually "Lint Free" Reusable Wipes

GT072 - Wipe Dispenser (for use with GT070)

GT085 - White Scrub Pads

Great for cleaning windows before installation.

GT085-THK - 1" Thick Scrub Pad, 4.5" x 10" (Not Shown)

GT160



GT162P



GT164



GT250



GT160 - Film Guard, 19 Oz.

Film Guard (GT160) can be used to clean and polish film after installation. Film Guard is specifically designed for window film and makes a great sales add-on.

GT162P - Pink Adhesive Remover, Gallon

GT164 - Sprayway® Adhesive Remover, 18 Oz.

Caution: GT162P and GT164 contain chemicals which may damage some car interiors.

GT250 - Wagner Heat Gun (120-Volt)

GT251



GT715



GT733



GT735



GT251 - Wagner HT3500 Digital Heat Gun (120-Volt)

This model allows you to heat shrink in low or high fan speeds and has a variable temperature setting to fine-tune the amount of heat needed for specific applications.

GT715 - Sprayway® Glass Cleaner, 19 Oz.

GT733 - Dirt-Off®, 32 Oz.

Concentrated cleaning solution.

GT735 - Film-On®, 32 Oz.

Concentrated mounting solution.

GT921



GT979



GT1034



GT1035



GT921 - Jiffy Steamer Film Remover

The Jiffy Steamer is a commercial-grade steamer that is impact resistant with a 1300-watt heating element. It heats up in two minutes and provides up to two hours of steam per fill-up. Great for removing film and adhesive from rear automotive windows. (120-Volt. Alternate voltage available upon request.)

GT979 - Kevlar Heat Gloves (One Pair)

GT1034 - Dot Devil Glass Prep Solution, 32 Oz.

GT1035 - Blue Slip-up Cleaner/Application Solution, Gallon

GT1041



GT1036



GT1039



GT1040



GT1036 - Simple Pink Adhesive Remover, Gallon

GT1039 - Rapid Remover Adhesive Remover, 32 Oz.

GT1040 - Rapid Remover Adhesive Remover, Gallon

GT1041 - Rapid Tac II Application Solution, 30 Oz.

A910010 - Ultra-Bond Mounting Solution, Gallon

One gallon concentrated mounting solution.

A910010-4 - Ultra Bond 4-Gallon Case (not shown)

Dotrix - Dot Matrix Vinyl 16" x 50' Roll

Gives the dot matrix area on cars a smooth, finished look. Pressure-sensitive adhesive requires no heat shrinking.

A910010



Dotrix



TIP High quality wipes are a necessity for clean window film installations. Absorbent wipes are ideal for cleaning windows and wrapping around hard cards when squeegeeing edges.

TIP The GT921 Jiffy Steamer will help prevent damage to defroster lines and saves time when removing film from rear windows.



Slitters & Accessories

GT910 (60")
GT911 (72")



GT821



GT910 - 60" Film Handler

Film Handler slitters help reduce waste and save time by helping you make straight, accurate cuts. Uses both metric and imperial measurements. Film Handler can also be wall-mounted for use in automotive shops.

Note: Ladder not included.

GT911 - 72" Film Handler

GT821 - Blade Holder for GT822

GT822



GT822 - 72" Box Slitter Channel

Aluminum U-channel for sliding over the edge of a film boxtop to serve as a straight edge when making horizontal cuts (across the web width) after pulling film out to desired length. Handy for in-field work. Saves the cost of more expensive film cutters.

GT904



GT912



GT913



GT904 - 3" Roller Assembly (Pair)

Comes standard with Film Handler, but can also be purchased separately.

GT912 - Film Handler Cutter Assembly

GT913 - 12" Film Handler Riser Assembly (Pair)

For security film with 6" cores. Sold as a pair.

GT940 - Film Handler Repair Kit

GT941 - 1/8" Cutter Shim for 3" Hubs (Each)

GT942 - 1/4" Cutter Shim for 3" Hubs (Each)

GT943 - Film Handler Replacement Blades

GT986 - Film Handler Blade Holder

GT1002-CH - Clean Cut Cutter Head Assembly

Cutter head assembly for the Clean Cut box slitter (GT1002).

GT1002 - Clean Cut Box Slitter

An economical slitter assembly. Available in 36", 48", 60" and 72" lengths.

Note: Cutter head sold separately.

GT1002B - Clean Cut Replacement Blades

Comes 5 in a pack. Replacement blade for GT1002. (Not Shown.)

GT1012 - 1/4" Cutter Shim for 6" Hubs (Each)

GT1013 - 1/8" Cutter Shim for 6" Hubs (Each)

GT940



GT941



GT942



GT943



GT986



GT1002-CH



GT1002



GT1012



GT1013



TIP Keep film from "telescoping" with film cutter shims. Shims fill the gap between the hubs and the film, ensuring a correct fit and a more accurate cut. You can use as many of each size as needed or combine 1/8" and 1/4" shims.